
















# Clamping components

	APPLICATION	PRODUCT LINES																		
<p><b>Part No.: K551074</b> Weight 15 g</p> <p><b>Magnetic receiver ø 20 mm eco-fix</b> For quick and easy magnetic clamping of workpieces.</p>  		eco-fix																		
<p><b>Part No.: K551073</b> Weight 5 g</p> <p><b>Magnetic receiver ø 12 mm eco-fix</b> For quick and easy magnetic clamping of workpieces.</p>  		eco-fix																		
<p><b>Part No.: K551242</b> Weight 47 g</p> <p><b>Magnetic receiver ø 20 mm eco-fix<sup>plus</sup></b> For receiving a workpiece in a defined position.</p>  		eco-fix <sup>plus</sup>																		
<p><b>Toggle clamp with pressure spindle</b> For simple and quick clamping of parts.</p> <p>*Connect with fastening element K550522-10</p>   <table><tr><th>Part No.:</th><th>M</th><th>H</th><th>A</th><th>B</th><th>Weight g</th></tr><tr><td>K550009-10</td><td>M8</td><td>58</td><td>25,5</td><td>6,5</td><td>337</td></tr><tr><td>K550010-10</td><td>M4</td><td>32</td><td>13,6</td><td>4,6</td><td>26</td></tr></table>	Part No.:	M	H	A	B	Weight g	K550009-10	M8	58	25,5	6,5	337	K550010-10	M4	32	13,6	4,6	26		eco-fix eco-fix <sup>plus</sup>
Part No.:	M	H	A	B	Weight g															
K550009-10	M8	58	25,5	6,5	337															
K550010-10	M4	32	13,6	4,6	26															
<p><b>Special pressure spindle for toggle clamp</b> Extends the range of the toggle clamps.</p>   <table><tr><th>Part No.:</th><th>M</th><th>L</th><th>A</th><th>D</th><th>Weight g</th></tr><tr><td>K550012-10</td><td>M8</td><td>92,8</td><td>15</td><td>19</td><td>32</td></tr><tr><td>K550013-10</td><td>M4</td><td>46,3</td><td>8,5</td><td>11</td><td>7</td></tr></table>	Part No.:	M	L	A	D	Weight g	K550012-10	M8	92,8	15	19	32	K550013-10	M4	46,3	8,5	11	7		eco-fix eco-fix <sup>plus</sup>
Part No.:	M	L	A	D	Weight g															
K550012-10	M8	92,8	15	19	32															
K550013-10	M4	46,3	8,5	11	7															