



Electronic torque wrench w.permanently installed fine-tooth ratchet

701/2

Art.No. **96504602**

GTIN **4018754280919**Model **701/2 NO BATTERY**



Label.

Electronic torque wrench SENSOTORK No. 701/2 Measuring-R. 1-20N⋅m Output 1/4" L. 210mm

Features.

- · indicating
- slim, compact shape for smaller torques from 1 N·m upwards
- measuring units: N·m, cN·m, ft·lb, in·lb
- · measurements independent of the point of application of force
- additional functions using SENSOMASTER 4 software (not included, free download at www.stahlwille.com):
- adjustable joints
- evaluation of tightening operation by means of coloured LEDs, buzzer and vibration
- alibrating interval adjustable
- logging function
- supplied with 3.6 V lithium battery, type 14500, packed in accordance with UN3091, Class 9
- calibration in conjunction with perfectControl® calibrating unit No 7794 or complete calibration system No 7706. Readjustment does not require disassembly
- certificate in accordance with DIN EN ISO 6789-2:2017
- in sturdy plastic box
- display deviation value ± 4%



Product highlights.



Compact.

With a compact length of only 21 cm, it is ideally suited to safe, accurate work in confined spaces.



Versatile.

For torques from 1 to 20 N·m – the ideal choice for bolt tightening on modern materials such as plastic, carbon and aluminium, for state-of-the-art bicycles with carbon frames, for example.



Intuitiv.

The required mode of operation (track, peak hold, user (fastener evaluation)) can be quickly and easily set using the single button setting system.



Accurat.

Accuracy counts – uncertainty is reduced to a minimum to guarantee accurate readings.

Logging function.

Comprehensive documentation options. As many as 2000 tightening actions can be stored with timestamps.



Technologies and features.



QuickRelease

The QuickRelease technology ensures tools cannot be inadvertently lost – while enabling rapid, safe tool changes.






Fine tooth ratchet mechanisms.

STAHLWILLE fine tooth ratchets have a specially developed, perfectly balanced mechanism with 80 teeth, ensuring maximum load capacity and, at the same time, excellent durability. With STAHLWILLE fine-tooth ratchets, no less than eight teeth engage at once, which provides smooth working action. The tight ratchet angle of only 4.5° enables efficient working in confined spaces.

Technical Drawing.



Technical Attributes.

Output square drive outside (inch)	1/4"
Width mm (b)	22,6 mm
Weight with box	700 g
Height mm (h1)	26 mm
Height mm (h2)	10 mm
Length mm (L)	210 mm
LF	160 mm
Lowest value of measurement range N-m	1 N·m
Measuring range cN-m	100-2000 cN⋅m
Measuring range N-m	1-20 N·m
Nominal value N-m	20 N·m
Scale division [E1]	0,7-15 ft·lb
Scale division [E2]	9-180 in·lb

Logistics data.

Length (IFS)	325	
Width (IFS)	135	
Height (IFS)	60	
Length (packed, mm)	325	
Width (packed, mm)	135	
Height (packed, mm)	60	
Volume (packed, mm)	2.6325 dm3	
Artikelnummer	96504602	
Weight (gross, kg)	0,710	
Weight PAP (kg)	0,080	
Weight PVC (kg)	0,000	
GTIN	4018754280919	
Country of origin	GERMANY	
Region of origin	Nordrhein-Westfalen	
WEEE/Electrical Act	Kleingeräte B2C	
Customs tariff no.	82041100	
Numbers of content units per order units	1	
Weight	132 g	

Parts list.







50450002 Electronic torque wrench SENSOTORK 81261011 Socket set 51110057 USB cable

Variants.

Artikelnumn	nerArticle number (EF	RP) Article description (Autom)	GTIN
50450002	701/2	Electronic torque wrench SENSOTORK No. 701/2 Measuring-R. nullN·m Output L. nullmm	4018754243679
96504502	701/2	Electronic torque wrench SENSOTORK No. 701/2 Measuring-R. 1-20N·m Output 1/4" L. 210mm	4018754243693
96504602	701/2 NO BATTERY	Electronic torque wrench SENSOTORK No. 701/2 Measuring-R. 1-20N·m Output 1/4" L. 210mm	4018754280919

GTIN-Code.



Spare parts.



59220007 Lithium-ion battery

Images.

