



Service/Series MANOSKOP® torque wrench w.mount for insert tools

730D



Art.No. 96501710
GTIN 4018754180318
Model 730D/10

Label.

Torque wrench service/series MANOSKOP No. 730D Measuring-R. 10-100N·m
Output L. 467mm

Features.

- Tactile and acoustic trigger signal
- Mount for interchangeable bits/sockets
- QuickRelease safety lock
- Quick setup via a convenient keyboard
- Automatically correct tightening torque after entering a deviating pattern size
- Overload protection by acoustic and optical warning signal
- Accidental adjustment is not possible due to automatic key lock
- Display function even with counter-clockwise torques
- Measurement units: N·m, ft·lb, in·lb
- Different tolerance limits adjustable depending on the type of bolted joint
- Optical evaluation of the bolted joint by green and red display
- Additional security of the presets (function mode, trigger or setpoint value, unit of measure, tolerance value, saving, hole pattern deviation) by PIN code
- Stores up to 7,500 screw data
- USB interface
- Automatic warning of the next calibration date
- Calibration with perfectControl® calibration device No. 7794 or calibration system No. 7706
- 2-component handle with hand-friendly green soft zone (resistant to oils, greases, fuels, brake fluids and Skydrol)
- Certificate in accordance with DIN EN ISO 6789-2:2017
- In a sturdy plastic box (size 40-100 in the sturdy steel box)
- Patented
- Supplied with 2 Mignon 1.5 V batteries. Mignon NiMH AA/LR6 batteries, 1.2 V, can be used.
- **Display deviation ± 2%, ± 1 digit**

Advantages.

Tactile and acoustic trigger signal



Product highlights.



Ideal.

After clicking, the MANOSKOP® 730D indicates the torque actually applied. As a result, the user has the opportunity to optimise his/her working methods.



Reader friendly.


The LC display is easy to read and evaluates the fastener visually by means of coloured displays. All settings can be made quickly and easily using the keyboard, which uses only four keys.



Electromechanical triggering.

The best of both worlds: electromechanical torque wrenches from STAHLWILLE combine the uncompromising accuracy of an electronic torque tool with the comforting tactile feedback of a mechanical trigger mechanism.

Technical Drawing.



Technical Attributes.

Battery type	Mignon (AA) 1,5V
Width mm (b)	28 mm
Setting/display resolution ft-lb	0,2/0,1 ft-lb
Setting/display resolution in-lb	2/1,0 in-lb
Setting display resolution N-m	0,2/0,1 N-m

Logistics data.

Length (IFS)	500
Width (IFS)	90
Height (IFS)	65
Length (packed, mm)	560
Width (packed, mm)	95

Weight with box	1510 g	Height (packed, mm)	70
Size	10	Volume (packed, mm)	3.724 dm ³
Size hexagon socket [internal square]	9 x 12 mm	Artikelnummer	96501710
Height mm (h)	23 mm	Weight (gross, kg)	1,785
Length mm (L)	467 mm	Weight PAP (kg)	0,095
LF	426,5 mm	Weight PVC (kg)	0,000
Lowest value of measurement range N·m	10 N·m	GTIN	4018754180318
Measuring range ft·lb	7,4-75 ft·lb	Country of origin	GERMANY
Measuring range in·lb	90-900 in·lb	Region of origin	Nordrhein-Westfalen
Measuring range N·m	10-100 N·m	WEEE/Electrical Act	Kleingeräte B2C
Nominal value N·m	100 N·m	Customs tariff no.	82041100
SF	17,5 mm	Numbers of content units per order units	1
		Weight	1085 g

Parts list.



81370002
Plastic case, empty

83071004
Inlay for plastic case

Variants.

Artikelnummer	Article number (ERP)	Article description (Autom.)	GTIN
96501710	730D/10	Torque wrench service/series MANOSKOP No. 730D Measuring-R. 10-100N·m Output L. 467mm	4018754180318
96501720	730D/20	Torque wrench service/series MANOSKOP No. 730D Measuring-R. 20-200N·m Output L. 548mm	4018754180325
96501740	730D/40	Torque wrench service/series MANOSKOP No. 730D Measuring-R. 40-400N·m Output L. 688mm	4018754180332
96501765	730D/65	Torque wrench service/series MANOSKOP No. 730D Measuring-R. 65-650N·m Output L. 870mm	4018754187621
96501965	730DII/65	Torque wrench service/series MANOSKOP No. 730D Measuring-R. 65-650N·m Output L. 892mm	4018754240074

96502080	730D/80	Torque wrench service/series MANOSKOP No. 730D Measuring-R. 80-800N·m Output L. 1160mm	4018754240098
96502100	730D/100	Torque wrench service/series MANOSKOP No. 730D Measuring-R. 100-1000N·m Output L. 1344mm	4018754240104

GTIN-Code.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal