



## Service MANOSKOP® torque wrenches w. permanently installed fine-tooth ratchet

### 730NR/5 FK



Art.No. 96503105  
GTIN 4018754229376  
Model 730NR / 5FK

**Label.** Torque wrench service MANOSKOP No. 730NR/5 FK Measuring-R. 7-37ft lb Output 3/8" L. 364mm

- Features.**
- in sturdy plastic box (size 65 in steel box)
  - **deviation of indication  $\pm 4\%$**

## Advantages.

Display deviation  $\pm 4\%$

## Product highlights.



### Flexible rod principle.

Mechanical torque wrenches from STAHLWILLE have a wear-resistant trigger system with a flexible rod. In contrast to conventional torque wrenches with spiral springs, the STAHLWILLE system eliminates one key work step: once the fastener has been tightened, it is not necessary to reset the wrench to »0«.



### Wear-resistant.

Wear resistant trigger system with a flexible rod. In contrast to conventional torque wrenches, it is not necessary to reset the wrench to zero after each job to unload the spring. In this way, users benefit from long-term accuracy and safe measurement results with less time required.



**Simple.**

Quick adjustment from outside, no disassembly of the torque wrench required, with two adjustment points for the maximum & minimum values.



**Clear view.**


Easy-to-read dual scale with colour differentiation between the N·m and ft.lb scales to simplify fine setting.



**Clicking.**

When the target torque is reached, MANOSKOP® 730N provides a noticeable tactile dual stop signal.

**Technical Drawing.**



**Technical Attributes.**

Output square drive outside (inch)	3/8"
b1	28 mm
b2	33 mm
Width mm (b)	90 mm
Fine scale division	0,25 N·m
Weight with box	1763 g
Size	5 FK
Height mm (h)	75 mm
Height mm (h1)	23 mm
Height mm (h2)	24 mm
Length mm (L)	364 mm
LF	280,5 mm
Measuring range ft-lb	7-37 ft·lb
Measuring range N-m	10-50 N·m
Scale division [E1]	5 N·m
Scale division [E2]	1 ft·lb

**Logistics data.**

Length (IFS)	560
Width (IFS)	90
Height (IFS)	75
Length (packed, mm)	560
Width (packed, mm)	90
Height (packed, mm)	75
Volume (packed, mm)	3.78 dm <sup>3</sup>
Artikelnummer	96503105
Weight (gross, kg)	1,575
Weight PAP (kg)	0,095
Weight PVC (kg)	0,000
GTIN	4018754229376
Country of origin	GERMANY
Region of origin	Nordrhein-Westfalen
WEEE/Electrical Act	nicht ear-pflichtig
Customs tariff no.	82041100
Numbers of content units per order units	1
Weight	973 g

## Parts list.



81370002  
Plastic case, empty



83071004  
Inlay for plastic case

## Variants.

Artikelnummer	Article number (ERP)	Article description (Autom.)	GTIN
96503105	730NR / 5FK	Torque wrench service MANOSKOP No. 730NR/5 FK Measuring-R. 7-37ft lb Output 3/8" L. 364mm	4018754229376
96503110	730NR / 10FK	Torque wrench service MANOSKOP No. 730NR/10 FK Measuring-R. 15-75ft lb Output 1/2" L. 420mm	4018754229383
96503120	730NR / 20FK	Torque wrench service MANOSKOP No. 730NR/20 FK Measuring-R. 30-150ft lb Output 1/2" L. 513,5mm	4018754229390
96502140	730NR/40 FK	Torque wrench service MANOSKOP No. 730NR/40 FK Measuring-R. 60-300ft lb Output 3/4" L. 657mm	4018754180523
96502265	730NR/65 FK-HD	Torque wrench service MANOSKOP No. 730NR/65 FK-HD Measuring-R. 100-480ft lb Output 3/4" L. 944mm	4018754221554

## GTIN-Code.



4 018754 229376

**STAHLWILLE Eduard Wille GmbH & Co. KG**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200  
 info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal  
 Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal